
HD PTZ Infrared Camera From <http://www.jammerbooster.com/>

MODEL:	TH-500M-HDJG
SIZE:	160*180mm
PACKAGE:	Neutral Packing

HD PTZ Infrared Camera

Product Features:

1. Quickly capture the target, infrared night vision distance more than 200 meters
2. Weatherproof design, high-strength aluminum alloy casting shell, shock-proof, anti-corrosion
3. 360° level unlimited continuous rotation, no blind spots (-90 ~ + 90°) for looking up
4. Built-in OSD English/ Chinese screen menu, camera parameters can be changed via the menu
5. Automatic cruise, horizontal scanning, the camera mode and the title display can be set
6. PTZ coordinate, Lens magnification display function

Applications:

Traffic analysis, road monitoring, and any other places for surveillance.

Technical Specifications

IR Light distance	>200 meters
CCD	1/4"Exview HAD CCD
Effective Pixels	752h*582v
Synchronous System	Intenal/extrinsic
Video Output	VBS 1.0VP-P/75
White balance	Auto/Manual
Scanning	15.625KHz(H) 50HZ(V)
Horizontal resolution	480TVL
SNR	>50DB
Electronic Shutter	1/1~1/10,000S; 1/50~1/10,000S
Min illumination	0.01Lux
Focal length	F=4.1~73.8mm/3.5~91mm/3.4~122.4mm
Zoom factor	Total 216x optical 18x digital 12x; Total 432X Optical 36X Digital 12X
Iris / Zoom	Auto/manual
Horizontal preset speed	100°/S
Vertical preset speed	80°/S
Horizontal manual control speed	0~60°/S
Vertical manual control speed	0~40°/S
Horizontal angle	360°
Vertical angle	-90~+90°
Preset	128
Control Interface	Multi-protocol,RS485
Humidity	90%
IP Level	IP66
Working Temperature	-35~+55°
Power Supply	AC24V(50VA)/ DC10.5-18V
Shockproof	?4G

Weight	6kg
---------------	-----



