Anti-GPS Flashlight, Waterproof (GPS Jamming	ı Flashlight with	Strong	Lighting
From http://www.jammerbooster.com	1/			

MODEL:	KJ-15G3
SIZE:	66*66*280mm
PACKAGE:	Neutral packing

Anti-GPS Flashlight, \	Waterproof GPS	Jamming Flashlig	ht with Strong L	ighting 1000LM

Model: KJ-15G3

Introductions:

The Anti-GPS Flashlight designed for blocking commercial drone signals.

Jamming radius of this device depends on several conditions such as transmitter frequency and output power, distance to receiver, and obstacles between, etc.

Because of the variety of jamming targets and a wide range of uncertainties, we have adopted the more advanced and effective jamming signal modulation method, which will increase the jamming efficiency in each band.

The Flashlight with 1000LM strong lighting.

Features:

Advanced Jamming technology for high efficiency;

Slow start up design of circuit to make the device work stably;

Perfect Self Protection: Over Heat protection, Over current protection, High input Voltage and low Voltage protection, VSWR protection

Hidden Design

Easy Operation

Strong lighting Flashlight function

Applications:

To block GPS / BDS / GLONASS signals for any sensitive locations, like police stations, prisons, airports, scientific research centers, detention houses, courthouses, labor camp, military bases, etc.

Technical Specifications

Total Output Power: Up to 15W

Jamming distance: up to 300 meters depending on the several conditions such as transmitter

frequency and output power, distance to receiver, and obstacles between, etc.

Internal Modulation: FM Hopping Frequency and Sweeping

Power Supply: 220VAC/12VDC

Power consumption: 45W

Jamming target: GPS / BDS / GLONASS

Power Amplifier Protectors:

A. Over- Heat protection - Thermal protector

B. Over current protection

C. High input Voltage and low Voltage protection

D. VSWR protection: against antenna miss-match including open and short circuit

Cooling: Heat sink natural cooling

Physical Data:

Net Weight of Jammer Host: approx 1kg

Dimension: 66*66*280mm

Proof Level: IP65

Environment of operation:

Operating Temperature: -10°C - +50°C

Humidity: up to 95%

Battery:

Battery type: Lithium Battery

Battery quantity: 1pcs

Battery working time: >=30 min Low battery warning: available Battery fast change: available

Spare Battery: optional

FlashLight:

Output Power: 10w Lumens: 1000LM

Antennas:

Antennas type: Built-in high gain directional antennas or omni antennas

Gain: 5 to 7dBi









